



TEST REPORT NO: 142047

Date: 1 May 2018

WWE for:

Sacks Online Ltd.
Ballymackeogh
Newport
Co. Tipperary
Ireland

The following sample(s) was/were submitted and identified by/on behalf of the client as:

Retailer

Not Specified

Description of article

HESSIAN

Retailer style number

TAN

Retailer Standard Number

Sacks Online Ltd

Order No./ Buyer

R.PITMAN

Quality/Fibre Composition

UNKNOWN

Date Sample(s) Received:

25 April 2018


Test

Schedule 4 Parts 2 Cigarette Test Schedule 5 Part 3 Match Test

Remarks

Tests as requested by the customer.

Signature



For and on behalf of SGS Leicester Limited

All samples are conditioned to ISO 139 where conditioning is required (unless otherwise stated)

This document is issued by the Company under its General Conditions of Service accessible at www.sgs.com/lerms and conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions-aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law." Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

SGS Leicester Limited

Whittle Estate Cambridge Road Whetstone Leicester LE8 6LH t +44 (0)116 284 6780 f +44 (0)116 284 6781 www.sgs.com





Customer:

WWE for: Sacks Online Ltd

Test Report No:

142047

Test Results

Schedule 4 The Cigarette Test Part 2 and Schedule 5 The Match Test Part 3 in accordance with BS 5852: Part 1: 1979

Test Requested

The sample supplied is a fabric hessian woven fabric and has been tested to the flammability performance requirements of The Furniture and Furnishing (Fire) (Safety) Regulations 1988 S.I No 1324 as amended, Schedule 4 Part 2 The Cigarette Test and Schedule 5 Part 3 The Match Test, using BS 5852: Part 1: 1979.

Fibre Identification

Reputed Fibre Composition: Unknown

Pre-Treatment

The sample was not subjected to a water soak procedure

Conditioning

The sample was conditioned in an indoor ambient condition for at least 72 hours, then for at least 16 hours in an atmosphere having a temperature of 20 ± 5 °C and a relative humidity of 50 ± 20 %.

Comments of Test Results

The sample supplied meets the flammability performance requirements of The Furniture and Furnishings (Fire) (Safety) Regulations 1988 S.I No 1324 as amended Schedule 4 Part 2 The Cigarette Test and Schedule 5 Part 3 The Match Test and therefore may be used in upholstered furniture, which carries the relevant permanent label.

Results

'The following tests results relate only to the ignitability of the combination of materials under the particular conditions of test; they are not intended as a means of assessing the full potential fire hazard of the materials in use'

This document is issued by the Company under its General Conditions of Service accessible at www.sgs.com/terms-and-conditions-aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions-aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law." Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

SGS Leicester Limited

Whittle Estate Cambridge Road Whetstone Leicester LE8 6LH t +44 (0)116 284 6780 f +44 (0)116 284 6781 www.sgs.com





Customer:

WWE for: Sacks Online Ltd

Test Report No:

142047

Test Results

The Cigarette Test

Pass Criteria:

Two cigarettes are placed along the junction between the horizontal and vertical test pieces in accordance with Clause 9.2.2. No progressive smouldering or flaming is to be observed within 1 hour of placement of the cigarette (Clause 9.2.4).

The Cigarette Test		
	Cigarette 1	Cigarette 2
Smouldering Time of the Cigarette	20 mins 14 secs	20 mins 39 secs
Clause 9.2.3 Evidence of Progressive Smouldering/ Flaming or Afterglow.	No	No
Cover Splitting	No	No
Clause 9.4 Any Internal Progressive Smouldering uring the Final Examination	No	No
Test Result	Pass	Pass

The Match Test

Pass Criteria:

A butane flame is applied at the junction between the horizontal and vertical test pieces for a period 20 ± 1 second in accordance with clause 9.3.2. No Flaming or Progressive Smouldering is to be observed after 2 minutes of the removal of the burner tube (Clause 9.3.4).

The Match Test			
	Match 1	Match 2	
Clause 9.3.4 Evidence of Flaming/ Progressive Smouldering/ Afterglow or Smoking	No	No	
Cover Splitting	No	No	
Clause 9.4 Any Internal Progressive Smouldering during the Final Examination	No	No	
Test Result	Pass	Pass	

Smouldering Cigarette test was carried out over

Non-Fire Retardant Polyurethane Foam Density of 20-22 Kg per m³

The match test was carried out over Combustion Modified High Resilient Foam of 24-26 Kg per m³.

The face of the fabric was tested.

End of Report

This document is issued by the Company under its General Conditions of Service accessible at www.sgs.com/terms and conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx. Altention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, it any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only

SGS Leicester Limited

Whittle Estate Cambridge Road Whetstone Leicester LE8 6LH t +44 (0)116 284 6780 f +44 (0)116 284 6781

www.sgs.com